



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Jupiter Environmental Laboratories, Inc.
150 S. Old Dixie Highway, Jupiter, FL 33458

(Hereinafter called the Organization) and hereby declares that Organization has met the requirements of ISO/IEC 17025:2005 "General Requirements for the competence of Testing and Calibration Laboratories" and the DoD Quality Systems Manual for Environmental Laboratories Version 5.1.1 February 2018 and is accredited in accordance with the:

United States Department of Defense Environmental Laboratory Accreditation Program (DoD-ELAP)

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Environmental Testing (As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

June 1, 2018

Issue Date:

April 16, 2019

Expiration Date:

April 16, 2021

Revision Date.:

November 15, 2019

Accreditation No.:

74310

Certificate No.:

L19-207-R1

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlab.com



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 1631	CVAFS	Mercury
Aqueous	EPA 180.1	Meter	Turbidity
Aqueous	EPA 200.8	ICPMS	Cobalt
Aqueous	EPA 200.8	ICPMS	Hardness
Aqueous	EPA 200.8	ICPMS	Strontium
Aqueous	EPA 200.8	ICPMS	Tin
Aqueous	EPA 200.8	ICPMS	Titanium
Aqueous	EPA 245.7	CVAFS	Mercury
Aqueous	EPA 3510C	Extraction	Semi-Volatiles Extraction
Aqueous	EPA 5030B	Preparation	Volatiles
Aqueous	EPA 5035	Preparation	Volatiles
Aqueous	EPA 624	GC/MS	1,1,1,2-Tetrachloroethane
Aqueous	EPA 624	GC/MS	1,1,1-Trichloroethane
Aqueous	EPA 624	GC/MS	1,1,2,2-Tetrachloroethane
Aqueous	EPA 624	GC/MS	1,1,2-Trichloroethane
Aqueous	EPA 624	GC/MS	1,1-Dichloroethane
Aqueous	EPA 624	GC/MS	1,1-Dichloroethylene
Aqueous	EPA 624	GC/MS	1,1-Dichloropropene
Aqueous	EPA 624	GC/MS	1,2,3-Trichlorobenzene
Aqueous	EPA 624	GC/MS	1,2,3-Trichloropropane
Aqueous	EPA 624	GC/MS	1,2,4-Trichlorobenzene
Aqueous	EPA 624	GC/MS	1,2,4-Trimethylbenzene
Aqueous	EPA 624	GC/MS	1,2-Dibromo-3-chloropropane
Aqueous	EPA 624	GC/MS	1,2-Dibromoethane
Aqueous	EPA 624	GC/MS	1,2-Dichlorobenzene
Aqueous	EPA 624	GC/MS	1,2-Dichloroethane
Aqueous	EPA 624	GC/MS	1,2-Dichloropropane
Aqueous	EPA 624	GC/MS	1,3,5-Trimethylbenzene
Aqueous	EPA 624	GC/MS	1,3-Dichlorobenzene
Aqueous	EPA 624	GC/MS	1,3-Dichloropropane



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 624	GC/MS	1,4-Dichlorobenzene
Aqueous	EPA 624	GC/MS	2,2-Dichloropropane
Aqueous	EPA 624	GC/MS	2-Butanone (Methyl ethyl ketone, MEK)
Aqueous	EPA 624	GC/MS	2-Chloroethyl vinyl ether
Aqueous	EPA 624	GC/MS	2-Chlorotoluene
Aqueous	EPA 624	GC/MS	2-Hexanone
Aqueous	EPA 624	GC/MS	4-Chlorotoluene
Aqueous	EPA 624	GC/MS	4-Methyl-2-pentanone (MIBK)
Aqueous	EPA 624	GC/MS	Acetone
Aqueous	EPA 624	GC/MS	Acrolein (Propenal)
Aqueous	EPA 624	GC/MS	Acrylonitrile
Aqueous	EPA 624	GC/MS	Benzene
Aqueous	EPA 624	GC/MS	Bromobenzene
Aqueous	EPA 624	GC/MS	Bromochloromethane
Aqueous	EPA 624	GC/MS	Bromodichloromethane
Aqueous	EPA 624	GC/MS	Bromoform
Aqueous	EPA 624	GC/MS	Carbon disulfide
Aqueous	EPA 624	GC/MS	Carbon tetrachloride
Aqueous	EPA 624	GC/MS	Chlorobenzene
Aqueous	EPA 624	GC/MS	Chloroethane
Aqueous	EPA 624	GC/MS	Chloroform
Aqueous	EPA 624	GC/MS	cis-1,2-Dichloroethylene
Aqueous	EPA 624	GC/MS	cis-1,3-Dichloropropene
Aqueous	EPA 624	GC/MS	Dibromochloromethane
Aqueous	EPA 624	GC/MS	Dibromomethane
Aqueous	EPA 624	GC/MS	Dichlorodifluoromethane
Aqueous	EPA 624	GC/MS	Ethylbenzene
Aqueous	EPA 624	GC/MS	Hexachlorobutadiene
Aqueous	EPA 624	GC/MS	Isopropylbenzene
Aqueous	EPA 624	GC/MS	m/p-Xylenes
Aqueous	EPA 624	GC/MS	Methyl bromide (Bromomethane)
Aqueous	EPA 624	GC/MS	Methyl chloride (Chloromethane)
Aqueous	EPA 624	GC/MS	Methyl tert-butyl ether (MTBE)
Aqueous	EPA 624	GC/MS	Methylene chloride
Aqueous	EPA 624	GC/MS	Naphthalene
Aqueous	EPA 624	GC/MS	n-Butylbenzene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 624	GC/MS	n-Propylbenzene
Aqueous	EPA 624	GC/MS	o-Xylene
Aqueous	EPA 624	GC/MS	p-Isopropyltoluene
Aqueous	EPA 624	GC/MS	Sec-Butylbenzene
Aqueous	EPA 624	GC/MS	Styrene
Aqueous	EPA 624	GC/MS	tert-Butylbenzene
Aqueous	EPA 624	GC/MS	Tetrachloroethylene (Perchloroethylene)
Aqueous	EPA 624	GC/MS	Toluene
Aqueous	EPA 624	GC/MS	trans-1,2-Dichloroethylene
Aqueous	EPA 624	GC/MS	trans-1,3-Dichloropropene
Aqueous	EPA 624	GC/MS	Trichloroethene (Trichloroethylene)
Aqueous	EPA 624	GC/MS	Trichlorofluoromethane
Aqueous	EPA 624	GC/MS	Vinyl acetate
Aqueous	EPA 624	GC/MS	Vinyl chloride
Aqueous	EPA 624	GC/MS	Xylene (Total)
Aqueous	EPA 625	GC/MS	Naphthalene
Drinking Water	SM 9223B	Pres./Abs.	E. Coli Bacteria
Drinking Water	SM 9223B	Pres./Abs.	Total Coliform
Solid	EPA 9045	Meter	pH
Aqueous/Drinking Water	EPA 150.1	Meter	pH
Aqueous/Drinking Water	EPA 200.2 Mod	Digestion	Metals
Aqueous/Drinking Water	EPA 200.8	ICPMS	Aluminum
Aqueous/Drinking Water	EPA 200.8	ICPMS	Antimony
Aqueous/Drinking Water	EPA 200.8	ICPMS	Arsenic
Aqueous/Drinking Water	EPA 200.8	ICPMS	Barium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Beryllium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Boron
Aqueous/Drinking Water	EPA 200.8	ICPMS	Cadmium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Calcium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Chromium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Copper
Aqueous/Drinking Water	EPA 200.8	ICPMS	Iron
Aqueous/Drinking Water	EPA 200.8	ICPMS	Lead
Aqueous/Drinking Water	EPA 200.8	ICPMS	Magnesium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Manganese



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Drinking Water	EPA 200.8	ICPMS	Mercury
Aqueous/Drinking Water	EPA 200.8	ICPMS	Molybdenum
Aqueous/Drinking Water	EPA 200.8	ICPMS	Nickel
Aqueous/Drinking Water	EPA 200.8	ICPMS	Potassium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Selenium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Silver
Aqueous/Drinking Water	EPA 200.8	ICPMS	Sodium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Thallium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Vanadium
Aqueous/Drinking Water	EPA 200.8	ICPMS	Zinc
Aqueous/Solid	EPA 6020	ICPMS	Aluminum
Aqueous/Solid	EPA 6020	ICPMS	Antimony
Aqueous/Solid	EPA 6020	ICPMS	Arsenic
Aqueous/Solid	EPA 6020	ICPMS	Barium
Aqueous/Solid	EPA 6020	ICPMS	Beryllium
Aqueous/Solid	EPA 6020	ICPMS	Boron
Aqueous/Solid	EPA 6020	ICPMS	Cadmium
Aqueous/Solid	EPA 6020	ICPMS	Calcium
Aqueous/Solid	EPA 6020	ICPMS	Chromium
Aqueous/Solid	EPA 6020	ICPMS	Cobalt
Aqueous/Solid	EPA 6020	ICPMS	Copper
Aqueous/Solid	EPA 6020	ICPMS	Iron
Aqueous/Solid	EPA 6020	ICPMS	Lead
Aqueous/Solid	EPA 6020	ICPMS	Magnesium
Aqueous/Solid	EPA 6020	ICPMS	Manganese
Aqueous/Solid	EPA 6020	ICPMS	Mercury
Aqueous/Solid	EPA 6020	ICPMS	Molybdenum
Aqueous/Solid	EPA 6020	ICPMS	Nickel
Aqueous/Solid	EPA 6020	ICPMS	Potassium
Aqueous/Solid	EPA 6020	ICPMS	Selenium
Aqueous/Solid	EPA 6020	ICPMS	Silver
Aqueous/Solid	EPA 6020	ICPMS	Sodium
Aqueous/Solid	EPA 6020	ICPMS	Strontium
Aqueous/Solid	EPA 6020	ICPMS	Thallium
Aqueous/Solid	EPA 6020	ICPMS	Tin



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 6020	ICPMS	Titanium
Aqueous/Solid	EPA 6020	ICPMS	Vanadium
Aqueous/Solid	EPA 6020	ICPMS	Zinc
Aqueous/Solid	EPA 7196	Konelab	Chromium VI
Aqueous/Solid	EPA 8081A	GC/ECD	4,4'-DDD
Aqueous/Solid	EPA 8081A	GC/ECD	4,4'-DDE
Aqueous/Solid	EPA 8081A	GC/ECD	4,4'-DDT
Aqueous/Solid	EPA 8081A	GC/ECD	Aldrin
Aqueous/Solid	EPA 8081A	GC/ECD	alpha-BHC (alpha-Hexachlorocyclohexane)
Aqueous/Solid	EPA 8081A	GC/ECD	alpha-Chlordane
Aqueous/Solid	EPA 8081A	GC/ECD	beta-BHC (beta-Hexachlorocyclohexane)
Aqueous/Solid	EPA 8081A	GC/ECD	Chlordane (tech)
Aqueous/Solid	EPA 8081A	GC/ECD	delta-BHC
Aqueous/Solid	EPA 8081A	GC/ECD	Dieldrin
Aqueous/Solid	EPA 8081A	GC/ECD	Endosulfan I
Aqueous/Solid	EPA 8081A	GC/ECD	Endosulfan II
Aqueous/Solid	EPA 8081A	GC/ECD	Endosulfan sulfate
Aqueous/Solid	EPA 8081A	GC/ECD	Endrin
Aqueous/Solid	EPA 8081A	GC/ECD	Endrin aldehyde
Aqueous/Solid	EPA 8081A	GC/ECD	Endrin ketone
Aqueous/Solid	EPA 8081A	GC/ECD	gamma-BHC
Aqueous/Solid	EPA 8081A	GC/ECD	gamma-Chlordane
Aqueous/Solid	EPA 8081A	GC/ECD	Heptachlor
Aqueous/Solid	EPA 8081A	GC/ECD	Heptachlor epoxide
Aqueous/Solid	EPA 8081A	GC/ECD	Methoxychlor
Aqueous/Solid	EPA 8081A	GC/ECD	Toxaphene (Chlorinated camphene)
Aqueous/Solid	EPA 8082	GC/ECD	Aroclor-1016 (PCB 1016)
Aqueous/Solid	EPA 8082	GC/ECD	Aroclor-1221 (PCB 1221)
Aqueous/Solid	EPA 8082	GC/ECD	Aroclor-1232 (PCB 1232)
Aqueous/Solid	EPA 8082	GC/ECD	Aroclor-1242 (PCB 1242)
Aqueous/Solid	EPA 8082	GC/ECD	Aroclor-1248 (PCB 1248)
Aqueous/Solid	EPA 8082	GC/ECD	Aroclor-1254 (PCB 1254)
Aqueous/Solid	EPA 8082	GC/ECD	Aroclor-1260 (PCB 1260)
Aqueous/Solid	EPA 8260C	GC/MS	1,1,1,2-Tetrachloroethane



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260C	GC/MS	1,1,1-Trichloroethane
Aqueous/Solid	EPA 8260C	GC/MS	1,1,2,2-Tetrachloroethane
Aqueous/Solid	EPA 8260C	GC/MS	1,1,2-Trichloroethane
Aqueous/Solid	EPA 8260C	GC/MS	1,1-Dichloroethane
Aqueous/Solid	EPA 8260C	GC/MS	1,1-Dichloroethylene
Aqueous/Solid	EPA 8260C	GC/MS	1,1-Dichloropropene
Aqueous/Solid	EPA 8260C	GC/MS	1,2,3-Trichlorobenzene
Aqueous/Solid	EPA 8260C	GC/MS	1,2,3-Trichloropropane
Aqueous/Solid	EPA 8260C	GC/MS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8260C	GC/MS	1,2,4-Trimethylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	1,2-Dibromo-3-chloropropane
Aqueous/Solid	EPA 8260C	GC/MS	1,2-Dibromoethane
Aqueous/Solid	EPA 8260C	GC/MS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC/MS	1,2-Dichloroethane
Aqueous/Solid	EPA 8260C	GC/MS	1,2-Dichloropropane
Aqueous/Solid	EPA 8260C	GC/MS	1,3,5-Trimethylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	1,3-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC/MS	1,3-Dichloropropane
Aqueous/Solid	EPA 8260C	GC/MS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8260C	GC/MS	2,2-Dichloropropane
Aqueous/Solid	EPA 8260C	GC/MS	2-Butanone (Methyl ethyl ketone, MEK)
Aqueous/Solid	EPA 8260C	GC/MS	2-Chloroethyl vinyl ether
Aqueous/Solid	EPA 8260C	GC/MS	2-Chlorotoluene
Aqueous/Solid	EPA 8260C	GC/MS	2-Hexanone
Aqueous/Solid	EPA 8260C	GC/MS	4-Chlorotoluene
Aqueous/Solid	EPA 8260C	GC/MS	4-Methyl-2-pentanone (MIBK)
Aqueous/Solid	EPA 8260C	GC/MS	Acetone
Aqueous/Solid	EPA 8260C	GC/MS	Acrolein (Propenal)
Aqueous/Solid	EPA 8260C	GC/MS	Acrylonitrile
Aqueous/Solid	EPA 8260C	GC/MS	Benzene
Aqueous/Solid	EPA 8260C	GC/MS	Bromobenzene
Aqueous/Solid	EPA 8260C	GC/MS	Bromochloromethane
Aqueous/Solid	EPA 8260C	GC/MS	Bromodichloromethane
Aqueous/Solid	EPA 8260C	GC/MS	Bromoform
Aqueous/Solid	EPA 8260C	GC/MS	Carbon disulfide



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260C	GC/MS	Carbon tetrachloride
Aqueous/Solid	EPA 8260C	GC/MS	Chlorobenzene
Aqueous/Solid	EPA 8260C	GC/MS	Chloroethane
Aqueous/Solid	EPA 8260C	GC/MS	Chloroform
Aqueous/Solid	EPA 8260C	GC/MS	cis-1,2-Dichloroethylene
Aqueous/Solid	EPA 8260C	GC/MS	cis-1,3-Dichloropropene
Aqueous/Solid	EPA 8260C	GC/MS	Cyclohexane
Aqueous/Solid	EPA 8260C	GC/MS	Dibromochloromethane
Aqueous/Solid	EPA 8260C	GC/MS	Dibromomethane
Aqueous/Solid	EPA 8260C	GC/MS	Dichlorodifluoromethane
Aqueous/Solid	EPA 8260C	GC/MS	DIPE (Isopropyl ether)
Aqueous/Solid	EPA 8260C	GC/MS	EtBE
Aqueous/Solid	EPA 8260C	GC/MS	Ethylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	Freon 113 (1,1,2-Trichloro-1,2,2-trifluoroethane)
Aqueous/Solid	EPA 8260C	GC/MS	Hexachlorobutadiene
Aqueous/Solid	EPA 8260C	GC/MS	Isopropylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	m/p-Xylenes
Aqueous/Solid	EPA 8260C	GC/MS	Methyl acetate
Aqueous/Solid	EPA 8260C	GC/MS	Methyl bromide (Bromomethane)
Aqueous/Solid	EPA 8260C	GC/MS	Methyl chloride (Chloromethane)
Aqueous/Solid	EPA 8260C	GC/MS	Methyl tert-butyl ether (MTBE)
Aqueous/Solid	EPA 8260C	GC/MS	Methylcyclohexane
Aqueous/Solid	EPA 8260C	GC/MS	Methylene chloride
Aqueous/Solid	EPA 8260C	GC/MS	Naphthalene
Aqueous/Solid	EPA 8260C	GC/MS	n-Butylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	n-Propylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	o-Xylene
Aqueous/Solid	EPA 8260C	GC/MS	p-Isopropyltoluene
Aqueous/Solid	EPA 8260C	GC/MS	Sec-Butylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	Styrene
Aqueous/Solid	EPA 8260C	GC/MS	TAME
Aqueous/Solid	EPA 8260C	GC/MS	t-Butanol (tert-Butyl alcohol)
Aqueous/Solid	EPA 8260C	GC/MS	tert-Butylbenzene
Aqueous/Solid	EPA 8260C	GC/MS	Tetrachloroethylene (Perchloroethylene)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260C	GC/MS	Toluene
Aqueous/Solid	EPA 8260C	GC/MS	trans-1,2-Dichloroethylene
Aqueous/Solid	EPA 8260C	GC/MS	trans-1,3-Dichloropropene
Aqueous/Solid	EPA 8260C	GC/MS	Trichloroethene (Trichloroethylene)
Aqueous/Solid	EPA 8260C	GC/MS	Trichlorofluoromethane
Aqueous/Solid	EPA 8260C	GC/MS	Vinyl acetate
Aqueous/Solid	EPA 8260C	GC/MS	Vinyl chloride
Aqueous/Solid	EPA 8260C	GC/MS	Xylene (Total)
Aqueous/Solid	EPA 8270C	GC/MS	1,1-Biphenyl
Aqueous/Solid	EPA 8270C	GC/MS	1,2,4,5-Tetrachlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1,3-Dichlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	1-Methylnaphthalene
Aqueous/Solid	EPA 8270C	GC/MS	2,3,4,6-Tetrachlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4,5-Trichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4,6-Trichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4-Dichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4-Dimethylphenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4-Dinitrophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,4-Dinitrotoluene (2,4-DNT)
Aqueous/Solid	EPA 8270C	GC/MS	2,6-Dichlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2,6-Dinitrotoluene (2,6-DNT)
Aqueous/Solid	EPA 8270C	GC/MS	2-Chloronaphthalene
Aqueous/Solid	EPA 8270C	GC/MS	2-Chlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	2-Methyl-4,6-dinitrophenol
Aqueous/Solid	EPA 8270C	GC/MS	2-Methylnaphthalene
Aqueous/Solid	EPA 8270C	GC/MS	2-Methylphenol (o-Cresol)
Aqueous/Solid	EPA 8270C	GC/MS	2-Nitroaniline
Aqueous/Solid	EPA 8270C	GC/MS	2-Nitrophenol
Aqueous/Solid	EPA 8270C	GC/MS	3,3'-Dichlorobenzidine
Aqueous/Solid	EPA 8270C	GC/MS	3/4-Methylphenols (m/p-Cresols)
Aqueous/Solid	EPA 8270C	GC/MS	3-Nitroaniline
Aqueous/Solid	EPA 8270C	GC/MS	4-Bromophenyl phenyl ether



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270C	GC/MS	4-Chloro-3-methylphenol
Aqueous/Solid	EPA 8270C	GC/MS	4-Chloroaniline
Aqueous/Solid	EPA 8270C	GC/MS	4-Chlorophenyl phenylether
Aqueous/Solid	EPA 8270C	GC/MS	4-Nitroaniline
Aqueous/Solid	EPA 8270C	GC/MS	4-Nitrophenol
Aqueous/Solid	EPA 8270C	GC/MS	Acenaphthene
Aqueous/Solid	EPA 8270C	GC/MS	Acenaphthylene
Aqueous/Solid	EPA 8270C	GC/MS	Acetophenone
Aqueous/Solid	EPA 8270C	GC/MS	Aniline
Aqueous/Solid	EPA 8270C	GC/MS	Anthracene
Aqueous/Solid	EPA 8270C	GC/MS	Atrazine
Aqueous/Solid	EPA 8270C	GC/MS	Benzaldehyde
Aqueous/Solid	EPA 8270C	GC/MS	Benzidine
Aqueous/Solid	EPA 8270C	GC/MS	Benzo(a)anthracene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo(a)pyrene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo(b)fluoranthene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo(g,h,i)perylene
Aqueous/Solid	EPA 8270C	GC/MS	Benzo(k)fluoranthene
Aqueous/Solid	EPA 8270C	GC/MS	Benzyl alcohol
Aqueous/Solid	EPA 8270C	GC/MS	bis(2-Chloroethoxy)methane
Aqueous/Solid	EPA 8270C	GC/MS	bis(2-Chloroethyl) ether
Aqueous/Solid	EPA 8270C	GC/MS	bis(2-Chloroisopropyl) ether
Aqueous/Solid	EPA 8270C	GC/MS	bis(2-Ethylhexyl) phthalate (DEHP)
Aqueous/Solid	EPA 8270C	GC/MS	Butyl benzyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Caprolactam
Aqueous/Solid	EPA 8270C	GC/MS	Carbazole
Aqueous/Solid	EPA 8270C	GC/MS	Chrysene
Aqueous/Solid	EPA 8270C	GC/MS	Dibenz(a,h)anthracene
Aqueous/Solid	EPA 8270C	GC/MS	Dibenzofuran
Aqueous/Solid	EPA 8270C	GC/MS	Diethyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Dimethyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Di-n-butyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Di-n-octyl phthalate
Aqueous/Solid	EPA 8270C	GC/MS	Fluoranthene
Aqueous/Solid	EPA 8270C	GC/MS	Fluorene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270C	GC/MS	Hexachlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	Hexachlorobutadiene
Aqueous/Solid	EPA 8270C	GC/MS	Hexachlorocyclopentadiene
Aqueous/Solid	EPA 8270C	GC/MS	Hexachloroethane
Aqueous/Solid	EPA 8270C	GC/MS	Indeno(1,2,3-cd)pyrene
Aqueous/Solid	EPA 8270C	GC/MS	Isophorone
Aqueous/Solid	EPA 8270C	GC/MS	Naphthalene
Aqueous/Solid	EPA 8270C	GC/MS	Nitrobenzene
Aqueous/Solid	EPA 8270C	GC/MS	n-Nitrosodiethylamine
Aqueous/Solid	EPA 8270C	GC/MS	n-Nitrosodimethylamine
Aqueous/Solid	EPA 8270C	GC/MS	n-Nitrosodi-n-propylamine
Aqueous/Solid	EPA 8270C	GC/MS	n-Nitrosodiphenylamine
Aqueous/Solid	EPA 8270C	GC/MS	o-Toluidine
Aqueous/Solid	EPA 8270C	GC/MS	Pentachlorobenzene
Aqueous/Solid	EPA 8270C	GC/MS	Pentachlorophenol
Aqueous/Solid	EPA 8270C	GC/MS	Phenanthrene
Aqueous/Solid	EPA 8270C	GC/MS	Phenol
Aqueous/Solid	EPA 8270C	GC/MS	Pyrene
Aqueous/Solid	EPA 8270C	GC/MS	Pyridine
Aqueous/Solid	EPA 8270C	GC/MS	1-Methylnaphthalene
Aqueous/Solid	EPA 8270C	GC/MS	2-Methylnaphthalene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Acenaphthene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Acenaphthylene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Anthracene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Benzo(a)anthracene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Benzo(b)fluoranthene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Benzo(g,h,i)perylene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Benzo(k)fluoranthene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Benzo(a)pyrene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Chrysene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Dibenz(a,h)anthracene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Fluoranthene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Fluorene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Indeno(1,2,3-cd)pyrene
Aqueous/Solid	EPA 8270 SIM	GC/MS	1-Methylnaphthalene
Aqueous/Solid	EPA 8270 SIM	GC/MS	2-Methylnaphthalene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Napthalene



Certificate of Accreditation: Supplement


ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270 SIM	GC/MS	Phenanthrene
Aqueous/Solid	EPA 8270 SIM	GC/MS	Pyrene
Aqueous/Solid	FLPRO	GC/FID	Total Petroleum Hydrocarbons (TPH)
Aqueous/Drinking Water/Solid	EPA 120.1	Meter	Conductivity
Aqueous/Drinking Water/Solid	EPA 365.3	Konelab	Orthophosphate as P





Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Jupiter Environmental Laboratories, Inc.

150 S. Old Dixie Highway, Jupiter, FL 33458
Contact Name: Kacia Baldwin Phone: 561-575-0030

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Solid	Extraction	EPA 1311	TCLP
	Extraction	EPA 1312	SPLP
	Digestion	EPA 3050B	Metals
	Digestion	EPA 3060A	Metals
	Extraction	EPA 3545	Semi-Volatiles Extraction
	Preparation	EPA 5035	Volatiles

